

The T_EXPower bundle

`\stepwise` Example: A Picture

Stephan Lehmke

University of Dortmund

Department of Computer Science I

<mailto:Stephan.Lehmke@udo.edu>

August 5, 2004

$$\begin{array}{c}
 [\{\{p_1, p_2\}, 1, \boxed{\geq 0.2}\}] \quad [\{\{\neg p_2, p_1\}, 1, \boxed{\geq 0.1}\}] \\
 \swarrow \quad \searrow \\
 \text{(ass.)} \\
 [\{\{p_1, \quad, p_2, \quad\}, 2.2, \quad\}]
 \end{array}$$

$$\left[\{p_1, p_2\}, 1, \boxed{\geq 0.2} \right] \quad \left[\{\neg p_2, p_1\}, 1, \boxed{\geq 0.1} \right]$$

(ass.)

$$\left[\{p_1, p_1, p_2, \neg p_2\}, 2.2, \boxed{\geq 0.1} \right]$$

$$\left[\{p_1, p_2\}, 1, \boxed{\geq 0.2} \right] \quad \left[\{\neg p_2, p_1\}, 1, \boxed{\geq 0.1} \right]$$

(ass.)

$$\left[\{p_1, p_1, p_2, \neg p_2\}, 2.2, \boxed{\geq 0.1} \right]$$

(removing)

$$\left[\{p_1, p_1\}, 1.2, \boxed{\geq 0.1} \right]$$

$$[\{\{p_1, p_2\}\}, 1, \boxed{\geq 0.2}] \quad [\{\{\neg p_2, p_1\}\}, 1, \boxed{\geq 0.1}]$$

(ass.)

$$[\{\{p_1, p_1, p_2, \neg p_2\}\}, 2.2, \boxed{\geq 0.1}]$$

(removing)

$$[\neg p_1, \boxed{\geq 0.4}]$$

$$[\{\{p_1, p_1\}\}, 1.2, \boxed{\geq 0.1}]$$

(ass.)

$$[\{\{p_1, p_1, \neg p_1\}\}, 1.6, \boxed{\geq 0.1}]$$

(removing)

$$[\{\{p_1\}\}, 0.6, \boxed{\geq 0.1}]$$

$$[\{p_1, p_2\}, 1, \boxed{\geq 0.2}] \quad [\{\neg p_2, p_1\}, 1, \boxed{\geq 0.1}]$$

(ass.)

$$[\{p_1, p_1, p_2, \neg p_2\}, 2.2, \boxed{\geq 0.1}]$$

(removing)

$$[\neg p_1, \boxed{\geq 0.4}]$$

$$[\{p_1, p_1\}, 1.2, \boxed{\geq 0.1}]$$

(ass.)

$$[\{p_1, p_1, \neg p_1\}, 1.6, \boxed{\geq 0.1}]$$

(removing)

$$[\{p_1\}, 0.6, \boxed{\geq 0.1}]$$

(assembling)

$$[\{p_1, \neg p_1\}, 1.0, \boxed{\geq 0.1}]$$

(removing)

$$[\Box, \boxed{\geq 0.1}]$$